

## 28.2" Double-Sided Indoor Stretched Pro Digital Signage Display

(BT-28.2FSH)







24/7 Performance





Customisable Sizing



Toughened Glass (Optional)



Eco-Friendly Power Timer




Anti Glare (Optional)



## **Product Dimensions**

## **Product Dimensions & Weight:**



Product Weight: 11kg Gross Weight: 19kg



## **Full Specifications**

<u>Connectivity</u>	
Audio Output	o Connector: 3.5 mm audio output interface
External Control	o USB Port x1 o Ethernet (Gigabit) o Supports dual-band Wi-Fi (2.4 GHz / 5 GHz)
<u>Display Specifications</u>	
Diagonal Size	28.2" each side
Aspect Ratio	33:9
Panel Resolution	1920x968
Brightness	400 cd/m²
Display Colours	16.7m (8bit)
Contrast Ratio	≥ 1000:1
Viewing Angle (H/V)	178° / 178°
Surface Treatment	Matte (Haze 1%), Hard Coating (3H)
Operating System	
Pre-installed OS	Android 11
<u>User Convenience</u>	
Installation Options	Landscape or portrait orientation (supports 24/7 operation)
Energy-Saving Features	Ambient light sensor, automatic brightness adjustment, intelligent power-saving technology
Bracket	(Optional) Floor or ceiling mount
<u>Audio</u>	
Built-in Speakers	Without
<u>Power</u>	
Power Supply	Supports wide voltage range 100–240 V
Power Consumption Standby/Typical	Less than 1 W/55W
Compliance	Meets UL60950-1 international safety standard, CE,FC,RoHS Compliant
Operating Environment	
Operating Temperature Range	0~50°C
Mean Time Between Failures (MTBF)	50,000 hours



Multimedia Application Support		
Video Format/Playback	Supports H.265, H.264, VP8, MAV, WMV, AVS, H.263, MPEG-4, and other formats	
Audio Format/Playback	MP3, WMA, WAV, APE, FLAC, AAC, OGG, M4A, 3GPP, and others	
Image Playback Formats	Supports JPG, BMP, PNG, and other image formats	
Built-in Hardware		
Processor	o RK3568, quad-core, up to 2.0 GHz, Android 11 o Graphics Processor (GPU): Mali-G52	
Memory	4 GB	
Storage	32 GB	
Accessories		
Power cord	IEC UK plug, 1m	
Remote Control	(Without Batteries)	
Other Information		
On-screen Menu Languages	English, French, German, Italian, Polish, Turkish, Russian, Simplified Chinese, Spanish, Traditional Chinese, Arabic, Japanese	
Warranty	3 year warranty	
Certifications	CE, FCC, Safety Compliance, Patent Certificates	
<u>Interfaces</u>		
USB	1	
Audio	3.5mm Headphones x1	
RJ45	RS232 x1	
Motherboard	3568V	