




23.4" Indoor Stretched Pro Digital Signage Display (BT-23.4FSH)



24/7
Performance



Portrait or
Landscape
Orientation



Customisable
Sizing



Multi-Screen
Synchronisation




Eco-Friendly
Power Timer



IPS Panel
Technology

Dimensions & Weight

Product Dimensions:



Product Weight: 3.5kg

Full Specifications

Connectivity	
Audio Output	o Connector: 3.5 mm audio output interface
External Control	o USB Port x2 o Ethernet (Gigabit) o Supports dual-band Wi-Fi (2.4 GHz / 5 GHz)
Display Specifications	
Diagonal Size	23.4"
Aspect Ratio	2:1
Panel Resolution	1920x968
Brightness	700 cd/m ²
Display Colours	16.7m (8bit)
Contrast Ratio	≥ 1000:1
Viewing Angle (H/V)	178° / 178°
Surface Treatment	Matte (Haze 1%), Hard Coating (3H)
Operating System	
Pre-installed OS	Android 11
User Convenience	
Installation Options	Landscape or portrait orientation (supports 24/7 operation)
Energy-Saving Features	Ambient light sensor, automatic brightness adjustment, intelligent power-saving technology
Bracket	(Optional) Floor or ceiling mount
Audio	
Built-in Speakers	Without
Power	
Power Supply	Supports wide voltage range 100–240 V
Power Consumption Standby/Typical	Less than 1 W/40W
Compliance	Meets UL60950-1 international safety standard, CE,FC,RoHS Compliant
Operating Environment	
Operating Temperature Range	0 ~ 50°C
Mean Time Between Failures (MTBF)	50,000 hours

Multimedia Application Support	
Video Format/Playback	Supports H.265, H.264, VP8, MAV, WMV, AVS, H.263, MPEG-4, and other formats
Audio Format/Playback	MP3, WMA, WAV, APE, FLAC, AAC, OGG, M4A, 3GPP, and others
Image Playback Formats	Supports JPG, BMP, PNG, and other image formats
Built-in Hardware	
Processor	<ul style="list-style-type: none"> o RK3568, quad-core, up to 2.0 GHz, Android 11 o Graphics Processor (GPU): Mali-G52
Memory	4 GB
Storage	32 GB
Accessories	
Power cord	IEC UK plug, 1m
Remote Control	(Without Batteries)
Other Information	
On-screen Menu Languages	English, French, German, Italian, Polish, Turkish, Russian, Simplified Chinese, Spanish, Traditional Chinese, Arabic, Japanese
Warranty	3 year warranty
Certifications	CE, FCC, Safety Compliance, Patent Certificates
Interfaces	
USB	2
Audio	3.5mm Headphones x1
RS232	x1
Motherboard	3568V

*Specifications are subject to change without notice.