

32" Indoor Dual-Sided Floor-Standing Digital Signage

(BT-32CLT-D)



24/7
Performance



Remote
Control



Touch
Interaction
(Optional)



Integrated
Slimline
Speakers




Eco-Friendly
Power Timer



IPS Panel
Technology

Product Dimensions

Product Dimensions:



Product Weight: 70kg

Product Width: 461mm

Product Height: 1707.7mm

Product Depth: 127.7mm

Bezel Width: L/R, Top/Bottom: 34mm

Full Specifications

<u>Connectivity</u>	
Audio Output	3.5 mm Audio Jack
External Control	RJ45
<u>Display Specifications</u>	
Diagonal Size	32" x 2
Aspect Ratio	16:9
Panel Resolution	1920×1080p
Brightness	300 cd/m ²
Display Colours	16.7M
Contrast Ratio	1200:1
Viewing Angle (H/V)	178° / 178°
<u>Operating System</u>	
Pre-installed OS	Android 13
<u>User Convenience</u>	
Installation Options	Floor Standing Installation
Energy-Saving Features	Eco-Friendly Power Timer
<u>Audio</u>	
Built-in Speakers	2 × 5W RMS
<u>Power</u>	
Power Supply	Supports wide voltage range 100–240 V
Power Consumption Standby/Typical	<3W/90W
Compliance	Meets UL60950-1 international safety standard, CE, FC, RoHS Compliant
<u>Operating Environment</u>	
Operating Temperature Range	0 ~ 40°C
Mean Time Between Failures (MTBF)	50,000 hours
<u>Multimedia Application Support</u>	
Video Format/Playback	Supports video formats including H.265, H.264, VP8, MAV, WMV, AVS, H.263, MPEG4, and more.
Audio Format/Playback	MP3, WMA, WAV, APE, FLAC, AAC, OGG, M4A, 3GPP and other formats
Image Playback Formats	JPG, BMP, PNG, and more.

<u>Built-in Hardware</u>	
Processor	Allwinner A527 (Octa-core, up to 1.8 GHz)
Memory (RAM)	4 GB DDR
Storage	32 GB
<u>Accessories</u>	
Power cable	x1
Antenna	x1
Remote Control	x1
<u>Other Information</u>	
On-screen Menu Languages	Supports Multiple Languages
Warranty	3-year warranty
<u>Interfaces</u>	
Audio	3.5 mm Audio Jack
RJ45	x1
Motherboard	RK3568

*Specifications are subject to change without notice.