

49" Wall-Mounted Digital Signage (BT-49HWT)



24/7
Performance



Portrait or
Landscape
Orientation



Touch
Interaction
(Optional)



Anti-Glare Glass
(Optional)




Eco-Friendly
Power Timer



IPS Panel
Technology

Product Dimensions

Product Dimensions:



Product Width: 1101.8mm

Product Height: 632mm

Product Depth: 70mm (Wall-Mount Back Panel) Depth (Including Handles): 400 × 400 mm

Bezel Width: L/R, Top/Bottom: 13.5mm

Net Weight: 21 kg

Full Specifications

<u>Connectivity</u>	
Audio Output	3.5 mm Audio Jack
External Control	RJ45
<u>Display Specifications</u>	
Diagonal Size	49"
Aspect Ratio	16:9
Panel Resolution	3840x 2160p
Brightness	450 cd/m ²
Display Colours	16.7M
Contrast Ratio	1200:1
Viewing Angle (H/V)	178° / 178°
<u>Operating System</u>	
Pre-installed OS	Android 11
<u>User Convenience</u>	
Installation Options	Landscape or portrait (optional)
Energy-Saving Features	Eco-Friendly Power Timer
<u>Audio</u>	
Built-in Speakers	2 × 5 W RMS
<u>Power</u>	
Power Supply	Supports wide voltage range 100–240 V
Power Consumption Standby/Typical	<5 W/ 95 W
Compliance	Meets UL60950-1 international safety standard, CE, FC, RoHS Compliant
<u>Operating Environment</u>	
Operating Temperature Range	0 ~ 40°C
Mean Time Between Failures (MTBF)	50,000 hours
<u>Multimedia Application Support</u>	
Video Format/Playback	H.265, H.264, VP8, MAV, WMV, AVS, H.263, MPEG4, and more.
Audio Format/Playback	MP3, WMA, WAV, APE, FLAC, AAC, OGG, M4A, 3GPP and other formats
Image Playback Formats	JPG, BMP, PNG, and more.

<u>Built-in Hardware</u>	
Processor	RK3568, Quad-Core, up to 2.0 GHz
Memory (RAM)	4 GB DDR
Storage	32 GB
<u>Accessories</u>	
Power cable	x1
Antenna	x1
Remote Control	x1
<u>Other Information</u>	
On-screen Menu Languages	Supports Multiple Languages
Warranty	3-year warranty
<u>Interfaces</u>	
Audio	3.5 mm Audio Jack
RJ45	x1
Motherboard	RK3568

*Specifications are subject to change without notice.