


55" Slim Outdoor Wall-Mounted Digital Signage IP55

(BT-PH55WOUT)



24/7
Performance



High-Visibility
Display



Full HD
Resolution



Ventilation
Cooling
System




Eco-Friendly
Power Timer



Laminated
Tempered
Glass

Product Dimensions

Product Dimensions:



Product Width: 1282 mm / 50.47"

Product Height: 753 mm / 29.65 "

Product Depth: 106 mm / 4.17 "

Depth (Including Handles): 116 mm / 4.56 "

Depth (at Wall Mount Points): 158 mm / 6.22 "

VESA Mount Pattern: 566 x 180 mm, M12 expansion bolts

Bezel Width: L/R, Top/Bottom: 36.5 mm;

Weight: 55 kg / 121.25 lbs

Full Specifications

<u>Connectivity</u>	
Video Input	HDMI 2.0 x 1 USB 3.0 x 2
External Control	RJ45 x1 WIFI x1
<u>Display Specifications</u>	
Diagonal Size	55"
Aspect Ratio	16:9
Panel Resolution	1920 x 1080 @ 60 Hz
Brightness	3000 cd/m ²
Display Colours	16.7M
Contrast Ratio	1200:1
Viewing Angle (H/V)	178° / 178°
Surface Haze	25%
Protection Level	IP65 IK tempered glass
<u>Operating System</u>	
Pre-installed OS	Android 11/13/14
<u>User Convenience</u>	
Installation Options	Landscape or Portrait
Energy-Saving Features	Smart Power energy-saving technology
<u>Audio</u>	
Built-in Speakers	None, but 8Ω 5W x 2 speaker optional
<u>Power</u>	
Power Supply	100–240 V~, 50–60 Hz, 4.0 A
Typical Power Consumption	450 W
Compliance	Meets UL60950-1 international safety standard, CE, FC, RoHS Compliant
<u>Operating Environment</u>	
Operating Temperature Range	-20 ~ 45°C
Mean Time Between Failures (MTBF)	50,000 hours

<u>Multimedia Application Support</u>	
USB Video Playback Formats:	MPEG, H.264, H.263, H.265, AVI, MP4
USB Audio Playback Formats	AAC, HEAAC, MPEG
USB Image Playback Formats	BMP, JPEG, PNG
<u>Built-in Hardware</u>	
Processor (CPU)	Quad-core Cortex-A55, 2.0 GHz
Graphics Processor (GPU):	Mali-G52 GPU
Memory (RAM)	4 GB DDR
Storage	32 GB
<u>Accessories</u>	
User Manual	x1
Remote Control with AAA Batteries	x1
<u>Other Information</u>	
On-screen Menu Languages	Supports Multiple Languages
Warranty	3-year warranty
<u>Interfaces</u>	
RJ45	x1
Motherboard	RK3568

*Specifications are subject to change without notice.