

55" Ultra-Narrow Wall-Mounted Digital Signage (BT55-HMT)



24/7
Performance



Portrait or
Landscape
Orientation



Full HD
Display



Remote
Management




Ultra-Narrow
Display



IPS Panel
Technology

Product Dimensions

Product Dimensions:



- Product Width: 1225.8 mm
- Product Height: 699.2 mm
- Product Thickness: 29.5 mm
- Bezel Width: 6.9 mm
- Product Weight: 26 kg

Full Specifications

Connectivity	
Audio Output	3.5 mm Audio Jack
External Control	RJ45
Display Specifications	
Diagonal Size	55"
Aspect Ratio	16:9
Panel Resolution	1920×1080p/4K
Brightness	500–700 cd/m²
Display Colours	16.7M
Contrast Ratio	1000:1
Viewing Angle (H/V)	178° / 178°
Operating System	
Pre-installed OS	Android 11/13/14
User Convenience	
Installation Options	Wall-mounted
Audio	
Built-in Speakers	2 × 5 W RMS
Power	
Power Supply	Supports wide voltage range 100–240 V, 50–60 Hz
Power Consumption Standby/Typical	<5 W/100 W
Compliance	Meets UL60950-1 international safety standard, CE,FC,RoHS Compliant
Operating Environment	
Operating Temperature Range	0 ~ 40°C
Mean Time Between Failures (MTBF)	50,000 hours
Multimedia Application Support	
Video Format/Playback	H.265, H.264, VP8, MAV, WMV, AVS, H.263, MPEG4
Audio Format/Playback	MP3, WMA, WAV, APE, FLAC, AAC, OGG, M4A, 3GPP
Image Playback Formats	JPG, BMP, PNG

<u>Built-in Hardware</u>	
Processor	Octa-core (4×A72 + 4×A53) up to 2.2GHz
Graphics Processing Unit (GPU)	3D GPU, OpenGL ES 1.1/2.0/3.2, OpenCL 2.0, Vulkan 1.1
Memory (RAM)	4/8 GB DDR
Storage	32/64 GB
<u>Accessories</u>	
Power cable	x1
Antenna	x1
Remote Control	x1
<u>Other Information</u>	
On-screen Menu Languages	Supports Multiple Languages
Warranty	3-year warranty
<u>Interfaces</u>	
Audio	3.5 mm Audio Jack
RJ45	x1
Motherboard	RK3576

*Specifications are subject to change without notice.