65" Indoor High Brightness Double Sided Window Display

(BT-65AC8-D)

|		
Ultra-High Brightness	Flexible Mounting Options	24/7 Performance
Heat and Sunlight Resistance	Eco-Friendly Power Timer	IPS Panel Technology

Product Dimensions

Product Dimensions:

Product Weight: 75kg

Full Specifications

Connectivity	
Audio Output	No built-in speakers
External Control	o 4 × UART o 1 × DEBUG o 1 × MCU programming serial port o Supports Gigabit Ethernet o Supports dual-band Wi-Fi 2.4G/5G, compliant with IEEE 802.11 a/b/g/n/ac/ax o Supports Bluetooth 5.0 and Wi-Fi 6

Display Specifications	
Diagonal Size	65"
Aspect Ratio	16:9
Panel Resolution	3480(RGB) × 2160
Brightness	3000 cd/m²
Display Colours	1.07B, 72% NTSC
Contrast Ratio	1200:1
Viewing Angle (H/V)	178° / 178°
Surface Treatment	Matte(Haze 1%), Hard Coating (3H)

Operating System	
Pre-installed OS	Android 13

User Convenience	
Installation Options	Hanging or floor stand (supports 24/7 operation)
Energy-Saving Features	Ambient light sensor, automatic brightness adjustment, intelligent power-saving technology
Bracket	(Optional) Floor or ceiling mount

Audio	
Built-in Speakers	No built-in speakers

Power	
Power Supply	Supports wide voltage range 100–240 V
Power Consumption Standby/Typical	< 5 W / 730 W
Compliance	Meets UL60950-1 international safety standard, CE,FC,RoHS Compliant

Operating Environment	
Operating Temperature Range	0 ~ 50°C
Mean Time Between Failures (MTBF)	50,000 hours

Multimedia Application Support	
Video Format/Playback	H.265，H.264,VP8, MAV , WMV , AVS , H.263 , MPEG4, and others
Audio Format/Playback	MP3, WAV, APE, FLAC, AAC, OGG, AAC, M4A, and others
Image Playback Formats	Supports JPG, BMP, PNG, and other image formats
Built-in Hardware	
Processor	Quad-core processor, up to 2.0 GHz
Memory	4 GB
Storage	32 GB
Accessories	
Power cord	(as specified)
Remote Control	(without batteries)
Other Information	
On-screen Menu Languages	English, French, German, Italian, Polish, Turkish, Russian, Simplified Chinese, Spanish, Traditional Chinese, Arabic, Japanese
Warranty	3-year warranty
Certifications	CE, FCC, Safety Compliance, Patent Certificates
Interfaces	
USB	o USB Expansion × 4 o USB 3.0 Host × 1
Audio	No built-in speakers
RJ45	x 1
Motherboard	RK3568

*Specifications are subject to change without notice.